




# VISION SWING HANDLE STAINLESS STEEL

Low profile swing handle in acid-proof stainless steel 316 for 40 mm profile cylinder or tool operated and control mechanism. Available in turn-to-latch version where the door is locked by turning the key



## MATERIAL

**Handle:** Stainless steel 316

## RELATED PRODUCTS

**Rod latch systems:** 1-008.04, 1-008.21, 1-008.25, 1-008.07

**Similar products:** 6-020

**Keys:** 2-372, 2-370


**Cylinders:** 1-209, 1-210

Use the Index Code at [industrilas.com](http://industrilas.com)

## TECHNICAL INFORMATION

**Standards:** IP69K, NEMA 4

**Cutout:** Version C



**celator**

Make your selections in each column to create your article number (AAAAAAABC-DDDD)

AAAAAAA	Material	B	Door thickness T	C	PDL	DDD	Insert / Cylinder	D	Dust cover
1230318	SS 316	2	1,6 - 2,5 mm	0	No	C01	Hexagon 11	U	No
		3	2,6 - 3,5 mm	1	Yes	C41	Recessed slot	D	Yes
						C47	Recessed hexagon 8 / 3 mm pin		
						C60	Profile cylinder		

PDL = Spring loaded padlock loop retracts when handle is released.

Version C

